Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	lewis-howard.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 09:47
S92	2	compare with ip near3 address with (logical or virtual or software) near3 (address or id or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:49
S93	4	compare with ip near3 address same (logical or virtual or software) near3 (address or id or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:49
S91	8	S89 same (compare or match)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:36
S77	143	S74 same S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:35
S89	143	S74 same S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:35
S90	1	S89 same compare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:35
S87	70	S78 not @AD>"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:31
S88	16	S87 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:31
S76	178	S74 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:29

		<u></u>				
S85	8	compare with hardware with (software or logical) with identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:29
S86	0	S85 with (node or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:29
S84	8	compare with hardware with software with identification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:25
S83	3	S82 not @AD>"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:20
S80	49	S76 and compare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:11
S82	11	S80 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:11
S81	1	S77 same compare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:09
S75	892	(logical or virtual) with node with (ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:08
S78	135	S74 with S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:08
S79	0	S78 with compare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:08

C7.			1		T	
S74	749	(physical or hardware) with node with (ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:07
S73	5	compare with (physical or hardware) with (logical or virtual) with (ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 12:06
S72	0	compare with (physical or hardware) with node with (logical or virtual) with node with (ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:48
S67	11434	compare with (physical or hardware) with (logical or virtual) node near5 (ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:47
S71	0	compare with (physical or hardware) near5 node with (logical or virtual) near5 node near5 (ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:47
S69	41	S68 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:44
S68	216	S67 same S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:36
S70	23	S69 not @AD>"20010124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:36
S66	216	compare with node near5 (ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:35
S65	8	compare with (physical near5 logical) with (ID or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:33

			···	, 	,	
S64	30	S63 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:29
S59	34	logical near (ID or identifier) near node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:24
S63	184	logical near3 (ID or identifier) near3 node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:24
S62	30	("4503534").URPN.	USPAT	OR	OFF	2005/10/11 11:23
S60	1844	physical near (ID or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:19
S61	7	S59 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 11:19
S56	9	S55 with (compare or match)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:21
S57	0	("l000010").PN.	USPAT	OR	OFF	2005/10/10 16:21
S58	13	S55 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:21
S53	0	(hardware near3 node near3 ID) with ((logical or virtual) near3 node near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:14
S54	0	(hardware near3 node near3 ID) with ((logical or virtual) near3 node near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:14

ے						
\$55	22	(hardware near3 ID) with ((logical or virtual) near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:14
S50	0	compare with (hardware near3 node near3 ID) same ((logical or virtual) near3 node near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:13
S51	0	(compare or match) with (hardware near3 node near3 ID) same ((logical or virtual) near3 node near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:13
S52	0	(compare or match or analyze) with (hardware near3 node near3 ID) same ((logical or virtual) near3 node near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:13
S49	0	compare with (hardware near3 node near3 ID) with ((logical or virtual) near3 node near3 ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:10
S47	0	compare with hardware near node near ID with (logical or virtual) near node near ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:09
S48	0	compare with hardware near3 node near3 ID with (logical or virtual) near3 node near3 ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/10 16:09